

BPIC 2013: Volvo Incident and Problem Management Behavior Analysis

Michael Arias¹ and Eric Rojas¹

¹ Pontificia Universidad Católica de Chile
Computer Science Department
Vic. Mackenna 4860, Santiago, Chile
{michael.arias, eurojas}@uc.cl

Abstract. This essay has the purpose of presenting the results of a work performed as part of Third International Business Process Intelligence Challenge. This challenge presents an event log from Volvo IT Belgium Company related with incident and problem management, focusing on a couple process owner's questions. The authors of this document present the analysis realized applying different kind of tools and process mining techniques in order to solve the challenge presented. We provide an analysis, which discovered behavior characteristics, associated with products, resources and organizational lines. The results obtained provide useful information that Volvo can use to have more knowledge about the process that they are executing and have more information to make decisions and improve the actual process.

Keywords: Process mining, Volvo IT Belgium, Business Process Intelligence Challenge, incident and problem management, IT organization, products, and support teams.

1 Introduction

The organizations have evolved over the years. With them, the information systems have become in a key players for storing the amount of information generated daily. Process mining has emerged with a series of techniques to extract useful knowledge from data records stored in an event log. For W. van der Aalst [1], process mining is a relative young research discipline that sits between machine learning and data mining on the one hand and process modeling and analysis on the other hand. The idea of process mining is to discover, monitor and improve real processes by extracting knowledge from event logs readily available in today's systems.

This work shows how mining process allows support the organization Volvo Belgium IT, characterizing and analyzing the business process for managing incidents and problems. We use the event log for the "Third International Business Process Intelligence Challenge (BPIC'13)" [2]. The aim of this work is focused on delivering solutions to a number of questions that have the business owner about the incidents and problems presented, considering cases related with push to front incident management, Ping-Pong behavior, waiting user status and process conformance. In addition, we incorporate two additional analyzes as a recommendation for the process owner for a better understanding of the process and to identify possible improvements.

2. Push to Front (PTF)

This section is directly related to the incident management, where the analysis center of looking at the behavior of how they are managed and resolved, mainly searching on how they are resolved in line one and not the second or third.

For this specific analysis several questions need to be answered

- For what products is the Push to front most used and for which not?
- Where in the organization is the PTF mostly used, specifically comparing the organizations Org Line A2 and Org Line C?
- What functions are more in line with the PTF?

To observe the PTF and analysis was made to the original log, and then it was filtered according to the question that needed to be answered in DISCO [3].

2.1 For what products is the Push to front most used and for which not?

In this case we filter the log the following way:

1. The complete cases were filtered, this correspond to the cases where an incident begins with the initial status Accepted – In Progress and ends with one of the following final status in completed (Completed-Closed, Completed-In Call, Completed-Closed y Completed-Cancel). All this end activities were included so the original log did not reduce so much and the analysis could still be done.
2. Cases with status Unmatched were eliminated, for a total of 5 cases.
3. To have only the products where there were no second or third line support teams (ST), involved, the log was filtered with only the cases where the first line was involved.

As it can be seen in the following figure, with this filter we obtained 52 percent of the cases, only including the ones without support from the second or third level.




Fig. 1. Filtered log with only completed incidents

From this log we can see that the following products are the ones with more incidents that are resolved in level one.

Value	Frequency	Relative fr
PROD424	4049	16.45 %
PROD660	2327	9.45 %
PROD253	1217	4.94 %
PROD455	803	3.26 %
PROD494	675	2.74 %
PROD566	649	2.64 %
PROD235	612	2.49 %
PROD236	611	2.48 %
PROD215	587	2.38 %
PROD258	503	2.04 %
PROD267	479	1.95 %
PROD13	479	1.95 %
PROD321	462	1.88 %
PROD261	419	1.7 %
PROD716	394	1.6 %
PROD262	335	1.36 %
PROD279	302	1.23 %
PROD423	274	1.11 %
PROD793	253	1.03 %
PROD453	250	1.02 %

Fig. 2. Products with more incidents resolved on level one

4. In the opposite case, to see the products where the PFT is use the least, the log was filter with those cases where at least one instance of the second or third level was used to resolve it. The following products are the one with the least use of PTF.

PROD424	3067	10.05 %
PROD542	1675	5.49 %
PROD698	961	3.15 %
PROD776	740	2.42 %
PROD494	639	2.09 %
PROD697	586	1.92 %
PROD660	560	1.83 %
PROD253	524	1.72 %
PROD802	517	1.69 %
PROD401	457	1.5 %
PROD789	446	1.46 %
PROD236	443	1.45 %
PROD607	426	1.4 %
PROD158	418	1.37 %
PROD325	381	1.25 %
PROD267	374	1.23 %
PROD38	364	1.19 %
PROD13	363	1.19 %
PROD805	359	1.18 %
PROD305	350	1.15 %
PROD791	317	1.04 %
PROD235	309	1.01 %

Fig. 3. Products with incidents being resolved in second or third level

2.2 Where in the organization is the PTF mostly used, specifically comparing the organizations Org Line A2 and Org Line C?

Having the original log filtered It was seen the way the different organizations handle their incidents, we classify them in two types, those resolved with PTF (incidents resolved in first line) and those resolved without PTF (incidents resolved in second or third line). We can see both categories in figure 4 and figure 5.

Value	Frequency	Relative fr
Org line C	21203	86.12 %
Org line A2	1663	6.75 %

Fig. 4. Frequency of use of PTF of Org line C and Org line A2

Value	Frequency	Relative fr
Org line C	15714	51.48 %
Org line A2	8445	27.67 %

Fig. 5. Cases where Org line C and Org line A2 do not use PTF to resolve incidents

For this numbers, we analyzed the percentage of the total of cases that correspond to the first or second type. This way we obtain a correct comparison percentage to compare on both organizations the use of PTF.

Table 1. Relative percentage of use of PTF to resolve incidents

Total Cases	Use of PTF	Amount	%
36917	Org line C uses it	21203	57.44%
	Org line C does not use it	15714	42.56%
10108	Org line A2 uses it	1663	16.46%
	Org line A2 does not use it	8445	83.54%

From table 1, the organization that uses the most PTF to resolve its incidents its Org line C, in contrast to the Org line A2 that uses it less.

2.3 What functions are more in line with the PTF?

To obtain the answer to this specific question, we did the same procedure explained before to filter the log. The next figure shows the functions that are most associated with PTF, showing clearly that functions V3_2 and A2_1 uses it the most.

Value	Frequency	Relative fr
V3_2	19618	79.68 %
A2_1	3432	13.94 %
	643	2.61 %
E_5	516	2.1 %
A2_2	247	1 %
A2_5	120	0.49 %
E_1	26	0.11 %
E_6	13	0.05 %
E_10	6	0.02 %

Fig. 6. Functions more aligned with PTF

2.4 Support teams that use most the PTF

The support groups that use more PTF are the G96, the S42 and the G97 respectively.

Value	Frequency	Relative f
G96	4315	17.53 %
S42	3679	14.94 %
G97	3119	12.67 %
N36	919	3.73 %

Fig. 7. ST that's use more PTF

2.5 Countries that generate more incidents resolved with PTF

The countries that user more frequently PTF are Sweden, Poland and Brazil.

Value	Frequency	Relative frequency
Sweden	7282	29.58 %
POLAND	4918	19.97 %
Brazil	2721	11.05 %

Fig. 8. Countries with more incidents resolved with PTF

3. Ping Pong Behavior (PP)

This analysis is related to both the incidents and the problem management. It is the behavior in which the Support Team sends each other back and forth the incidents in a Ping Pong way. This is a behavior that it is not wanted and it has a direct relation between this behavior and the total time spent resolving an incident.

For this analysis we want to answer several questions:

- Which are the functions responsible for PP?
- Which are the organizations responsible for PP?
- Which are the STs responsible for PP?
- Which are the products that are more impacted by PP?

To respond these questions the original log had to be analyzed and make some specific filters. Following are a series of steps of the filter process to get the original to only have the content so we can answer the questions.

1. The first step is that when we open the original log in the Disco Tool, the resource column should correspond to the ST column, instead of the default column.
2. The complete cases were filtered, this correspond to the cases where an incident begins with the initial status Accepted – In Progress and ends with one of the following final status in completed (Completed-Closed, Completed-In Call, Completed-Closed y Completed-Cancel). All this end activities were included so the original log did not reduce so much and the analysis could still be done.
3. Cases with status Unmatched were eliminated, for a total of 5 cases.
4. The next filter corresponds to only leave the activities Queued – Awaiting Assigment, this one corresponding to the activity that precedes the traspassing an incident from one ST to another.
5. After we have these variants where we have this activity we filter the log to eliminate all those cases where we do not have cycles of PP. For this it was discovered in the log that the PP behavior it is present in the cases where the following Sequence of activities is located: Accepted-In Progress, Queued – Awaiting Assignment and then again Accepted-In Progress. The objective of this filter was to leave these activities in.
6. After this we did a manual analysis to make sure that this filter was only leaving us the cases with this behavior for our final analysis.
7. After confirming this, we discarded all the activities besides Accepted-In Progress and Queued – Awaiting Assigment, because it is in these ones where we see the PP activities.
8. Analyzing the cases in their performance behavior in DISCO, it was discovered that those where PP is present were the ones with high duration and not the ones that do not take much time in completing even if they have some kind of PP activities. From this the log was filtered leaving only the cases with duration higher tan 33 days and 5 hours (only 6% of the total cases).
9. This resulting log was exported to Prom 5 [4] for further analysis though the Handover of Work metric of the Social Mining algorithm. The results of this analysis were not correct and no relationships were discovered. The results are shown in the following figure.





Fig. 9. Incorrect initial results of the Handover of work metric

10. Because of not being able to discover and see the expected behavior, this log was separated in several clusters according to the sequence of its activities, this way the analysis could be done to see if we found cycles between the two activities that will determine PP behavior.



15. From the models in Table 2 we extracted the following data:

Table 3. Data extracted from the analysis of HoW for each of the clusters

	Threshold 0.0097	Threshold 0.0195
Amount of STs	13 STs	6 STs
List of STs	V51 2nd, D2, V37 2nd, D8, V46 2nd, D6, V32 2nd, A5, D4, D5, G42 3rd, D7 y V49	D8, V37 2nd, D2, D4, D5 y V32 2nd
PP Relationships	12 PP relationships	5 PP relationships

16. Following this, this log was filter in DISCO to include only the 13 STs participants to verify in Prom 6 [5] with HoW if they really had a high presence of cycles. This resulting log was exported from DISCO to Prom 6 and the following results were obtained:



Fig. 10. HoW results on Prom / of the 13 STs that execute the most PP cycles

As it can be seen in figure 10, a group can be identify that executes the majority of the PP behavior when resolving incidents and managing problems.

If the last results are compared with the results in table 3 we can confirm that the 6 STs with mayor execution of PP cycles are the same that were discovered when the threshold was 0.0195, having though the different tools the same result.

17. Besides from applying this analysis, it was decided to apply to the log obtained in point 3 (6365 cases), the trace alignment algorithm in Prom 6.2. It was selected that the algorithm should divide the log in 6 clusters according to the most repeated sequences. After a long execution time we had 6 different trace alignments. Each of the traces was exported so an in more detailed analysis could be done to verify which cluster included the most amounts of ping pong cycles. Of the 6 clusters, two presented PP, one very frequent and the other less frequent but still present. To confirm if the PP was present, some cases were analyzed in the log and effectively some of the STs found in point 15 were found. Next are some images of the alignments with PP. The activities highlighted in yellow and in light blue have the PP behavior, for example in figure 12 we can see the case 1-638742591, taken from the cluster shown in figure 11.




Fig. 11. Cluster 4/6: Cluster with cases that have PP

Activity	Resource	Da
1 Accepted/In Progress	D2	11
2 Accepted/In Progress	D2	11
3 Queued/Awaiting Assignment	V37 2nd	11
4 Queued/Awaiting Assignment	V37 2nd	11
5 Accepted/In Progress	V37 2nd	11
6 Queued/Awaiting Assignment	D2	11
7 Accepted/In Progress	D2	11
8 Accepted/Wait - User	D2	11
9 Accepted/Wait - User	D2	14
10 Accepted/In Progress	D2	16
11 Queued/Awaiting Assignment	V37 2nd	16
12 Accepted/In Progress	V37 2nd	17
13 Accepted/Assigned	V37 2nd	17
14 Accepted/In Progress	V37 2nd	19
15 Queued/Awaiting Assignment	D2	19
16 Accepted/In Progress	D2	19
17 Accepted/Wait - User	D2	19
18 Accepted/In Progress	D2	19
19 Queued/Awaiting Assignment	V37 2nd	19
20 Accepted/In Progress	V37 2nd	19
21 Queued/Awaiting Assignment	V35 2nd	20
22 Accepted/In Progress	V35 2nd	20
23 Queued/Awaiting Assignment	V37 2nd	20
24 Accepted/In Progress	V37 2nd	20
25 Queued/Awaiting Assignment	V35 2nd	23
26 Accepted/In Progress	V35 2nd	25
27 Queued/Awaiting Assignment	V37 2nd	25
28 Accepted/In Progress	V37 2nd	26



Fig. 13. Cluster 6/6: Cluster with cases that present PP

With this information the answer to the following questions can be answered.

3.1 Which are the functions responsible for PP?

The function responsible for the PP behavior its function A2_1, with the second level STs V32 2nd and V37 2nd, that do not possess information to which function they belong to.

3.2 Which are the organizations responsible for PP?

The organizations responsible for PP are:

- Org line V7n, which includes V32 2nd and V37 2nd
- Org line A2, which includes D4 and D8
- Org line C, which includes D2 and D5

3.3 Which are the STs responsible for PP?

The STs with mayor amount of cases with PP are D8, V37 2nd, D2, D4, D5 and V32 2nd.

3.4 Which are the products that are more impacted by PP?

The products associated to mayor amount of cases with PP are PROD542, PROD236, PROD424, PROD158, PROD235 and PROD215.

Note: There could exist more STs executing PP, however from this analysis we obtained which did the most according to the activity included in the log.

4. Status Wait User

Another aspect that it should be analyzed it is the incorrect use of the status Wait User. Initially this status is used when an incident or a problem is waiting for a user for an action or a response. The negative way that this status has been used in the organization it is that moving an incident or problem to this status will reduce the time being in progress for a lot of time, this is because some users may move their incidents to this status to reduce the work effort associated to it. The work effort for an incident or a problem it's calculated for the time it is in the in progress status, and it does not stop until it is changed to another one.

What users do to reduce this time is when they are not able to resolve an incident or problem, they will move it to the Accepted - Wait User status, stopping the wait effort. Analyzing the log you can see that are some cases where the user changes the status to Wait User and after some time it returns to Accepted – In Progress to continue working on it, this is the incorrect way of using it. As an additional note, the correct use of this status is the one in which for the resolution of the incident or problem, there is some answer or request expected from a specific user to continue and resolve the issue.

From this point we would like to answer several questions:

- Who is using more this sub status?
- Which is the behavior per ST?
- Which is the behavior per function?
- Which is the behavior per organization?
- Which is the location where this status its most incorrectly used?

To respond each of these questions, the DISCO tool was used and the following filters were applied.

1. The complete cases were filtered, this correspond to the cases where an incident begins with the initial status Accepted – In Progress and ends with one of the following final status in completed

(Completed-Closed, Completed-In Call, Completed-Closed y Completed-Cancel). All this end activities were included so the original log did not reduce so much and the analysis could still be done.

2. Cases with status Unmatched were eliminated, for a total of 5 cases.
3. The cases that do not include this status were filtered, so we would only analyze the specific ones. After applying this filter we only have 2060 cases.
4. The cases were analyzed to determine if the user of this status was in a correct or incorrect way.
5. With the incorrect use identified, the log was filtered to only leave the incorrect use. It was discovered that 10% of the total use of the status (55570 cases), was in a wrong way.
6. After this another filter was applied to only have the users that moved incidents or problems to this status, reducing it to only 1707 cases.
7. Because the system uses this status in a correct way, the user Siebel was eliminated.
8. Based on this results and final filter, it is that all the questions can be answered. For this final analysis this status was present 1660 times in 791 cases.




Fig. 14. Final data after the filters are applied for the Status Wait User

With the data from the last group of filters we proceed to answer the related questions:

4.1 Who is using more this sub status?

Analyzing the data obtained from the filter the next figure shows the users that use incorrectly in more cases this sub status:

Value	Frequency	Relative frequency
Muthu	76	17.51 %
Pawel	58	13.36 %
Olga	47	10.83 %
Emil	42	9.68 %
Andreas	40	9.22 %
Rafal	28	6.45 %
Nina	27	6.22 %
Natalia	27	6.22 %
Cezary	25	5.76 %
Jinos	23	5.3 %
Oden	21	4.84 %
Vandana	20	4.61 %

Fig. 15. Users with more incorrect user of sub status Wait User

4.2 Which is the behavior per ST?

Analyzing the data obtained from the filter, the next figure shows the STs that use incorrectly in more cases this sub status:

Value	Frequency	Relative
G97	538	32.41 %
G96	158	9.52 %
G230 2nd	122	7.35 %
S42	111	6.69 %
G92	96	5.78 %
D8	78	4.7 %
G140 2nd	39	2.35 %
D7	33	1.99 %
D5	30	1.81 %
S43	22	1.33 %
D2	20	1.2 %
S49	19	1.14 %
M8	16	0.96 %
T12	13	0.78 %
L38 3rd	13	0.78 %
G266 2nd	13	0.78 %
G34 3rd	13	0.78 %
G81	12	0.72 %
D3	11	0.66 %
D1	9	0.54 %
S6	9	0.54 %
W4	9	0.54 %

Fig. 16. STs with more incorrect use of the sub status Wait User

4.3 Which is the behavior per function?

Analyzing the data obtained from the filter, the next figure shows the functions that use incorrectly in more cases this sub status:

Value	Frequency	Relative
V3_2	979	58.98 %
A2_1	200	12.05 %
E_10	189	11.39 %
E_5	116	6.99 %
A2_2	46	2.77 %
	45	2.71 %
A2_4	26	1.57 %
D_1	22	1.33 %
E_4	8	0.48 %
A2_3	6	0.36 %
E_1	6	0.36 %
E_7	5	0.3 %
E_8	4	0.24 %
C_6	2	0.12 %
A2_5	2	0.12 %
E_2	2	0.12 %
D_2	1	0.06 %
V3_3	1	0.06 %

Fig. 17. Functions with more incorrect use of this sub status Wait User

4.4 Which is the behavior per organization?

Analyzing the data obtained from the filter, the next figure shows the organizations that use incorrectly this sub status:

Value	Frequency	Relative fr
Org line C	1241	74.76 %
Org line A2	224	13.49 %
Org line B	158	9.52 %
Org line V2	16	0.96 %
Other	10	0.6 %
Org line V1	3	0.18 %
Org line I	2	0.12 %
Org line G4	2	0.12 %
Org line V5	2	0.12 %
Org line V7n	1	0.06 %
Org line D	1	0.06 %

Fig. 18. Organizations with more incorrect use of this sub status Wait User

4.5 Which is the location where this status its most incorrectly used?

Analyzing the data obtained from the filter, the next figure shows the locations where they use incorrectly in more cases this sub status:

Value	Frequency	Relative fr
POLAND	506	30.48 %
INDIA	477	28.73 %
Sweden	401	24.16 %
Brazil	74	4.46 %
Belgium	67	4.04 %
China	37	2.23 %
Japan	37	2.23 %
USA	28	1.69 %
France	17	1.02 %
Canada	6	0.36 %
United Kingdom	5	0.3 %
South Africa	2	0.12 %
RUSSIAN FEDERATION	2	0.12 %
Netherlands	1	0.06 %

Fig. 19. Locations where the sub status it is more incorrectly used

5. Process Conformance by Organization

Overall, Volvo is divided into two major organizations: the Org line A2 and Org line C. Is important analyze how are aligned both organizations in relation to the incident management process and problem management.

To analyze this point we performed the following steps:

1. Complete cases were filtered. These are those cases in which an incident begins with the initial status of Accepted - In Progress and ends with the final status Completed-Closed. We excluded other complete like final case, as we wanted to have only complete cases.
2. Traces with Unmatched status were removed.
3. This event log generated includes the process performed by all organizations in Volvo, including organizations Org line A2 and Org line C.

Events	48,905
Cases	4,431
Activities	11
Resources	1,174
Attributes	10
Start	31.03.2010 15:59:40
End	23.05.2012 00:22:20

Fig. 20. Information from event log about all organizations

4. This log was exported to perform the analysis through ProM 5.2.

5. In ProM 5.2, algorithm Heuristic Mining was selected and the result obtained was the following model. This is the base model with which to analyze the pattern of the two organizations (Org line A2 and Org line C).




Fig. 21. Original Process Model for the incident and problem management process

6. If we analyze the general model and the event log in DISCO tool, we obtain the following aspects:
 - a. Have 11 activities and 1174 resources.
 - b. In these 11 activities, the most commonly performed activities are Accepted-In progress y Queued-Awaiting assignment that represents the 64.09% of all activities. This means that the second activity is Queued-Awaiting, waiting to be assigned.
 - c. There are 3 activities that take 6 or more days to be completed. These activities are Accepted-waiting user, Accepted-waiting implementation and Accepted-waiting vendor.
7. With the same log obtained in the point 3, we proceed to make a filter considering all activities that include the cases performed only in the Org line A2. The resulting log was exported to perform the analysis through ProM 5.2.
8. In ProM 5.2, algorithm Heuristic Mining was selected and the result obtained was the following model. This model corresponds to the process performed only by organization Org line A2.




Fig. 22. Process Model for Org Line A2

9. Analyzing the model corresponding to Org line A2, and the event log in DISCO tool, we obtain the following aspects:
 - a. Have 10 activities and 628 resources.
 - b. In these 10 activities, the most commonly performed activities are Accepted-In progress y Queued-Awaiting assignment that represents the 67.6% of all activities. This means that the second activity is Queued-Awaiting, waiting to be assigned.
 - c. There are 3 activities that take 7.4 or more days to be completed. These activities are Accepted-waiting user and Accepted-waiting implementation. Accepted-waiting vendor. Besides, the activity Accepted- waiting vendor takes on average 19.7 hours.
 - d. There are 3 resources (apart from system) that are working more. They are Marcin, Olga y Krzysztof. Between them and Siebel (the system) perform the 18.34% of all activities.
10. With the same log obtained in the point 3, we proceed to make a filter considering all activities that include the cases performed only in the Org line C. The resulting log was exported to perform the analysis through ProM 5.2.
11. In ProM 5.2, algorithm Heuristic Mining was selected and the result obtained was the following model. This model corresponds to the process performed only by organization Org line C.

Table 4 Comparative data from both model processes

	Original Model	Org line A2 Model	Org line C Model
Events	48905	9979	30971
Cases	4431	1325	3457
Activities	11	10	11
Resources	1174	628	841
Activity with mayor	Accepted- waiting user Accepted-waiting implementation Accepted- waiting vendor Average time: 6.46 days	Accepted- waiting user Accepted-wait Accepted-waiting implementation Average time: 8.66 days	Accepted-wait implementation Accepted- wait vendor Average time: 6.4 days
Additional improvements	Activity Accepted- waiting vendor takes on average 6 days.	Activity Accepted- waiting vendor takes on average 7.8 hours (this may be explained because they handless a majority of European countries)	Activity Accepted- waiting vendor takes on average 6.4 days (can influence that handles India)

Analyzing the above table that includes both comparisons, we can deduce that the organization that complies with the overall process more is the Org line C, performed all activities included in the original model, and performing them in a slightly more efficient, except the activity Accepted- waiting vendor, that takes just 7.8 hours in the Org line A2.

6. Additional Analysis

In addition to previously answered questions, is interesting to analyze the following:

- a. Analyze the number of incidents by country and its duration
- b. Analyze in which Org Line handled only incidents are managed, or also, problem administration is performed too.

For each of these questions, the analysis discussed below.

- a. Analyze the number of incidents by country and its duration
 - Complete cases were filtered. These are those cases in which an incident begins with the initial status of Accepted - In Progress and ends with the final status Completed-Closed. We excluded other complete like final case, as we wanted to have only complete cases.
 - Traces with Unmatched status were removed.
 - To analyze which countries that have more incidents, we analyze the start activity Accepted- In Progress.
 - We use DISCO tool to analyze the event log filtering. The result shows the three countries that generate the greatest number of incidents:
 - Sweden is the country with the most incidents, 6736 cases
 - Poland (pl) is second one with 1266 cases
 - India (in), is third with 966 cases
 - We use DISCO tool to analyze the event log filtering. The result shows the two countries that generate the fewer number of incidents:
 - Argentina with only 1 case
 - Austria with 3 cases

- Below is the listing of all countries and their percentage present in the start activities of incidents (note that this only serves as an indicator, and later to analyze the countries):




Fig. 24. List of countries and percentage of incidents generated

- When analyzing the countries and the number of incidents that generate, we can identify why in each country are generating a certain amount of incidents, and also what improvements can be included to optimize this. In addition, we can analyze if the countries with the highest number of incidents sold more number of vehicles or can be attributed to the lack of knowledge or poor training. Also, this allows have notions of what is the concept of an incident or problem in different countries.
- b. What are the products that generate the highest number of incidents?
- Complete cases were filtered. These are those cases in which an incident begins with the initial status of Accepted - In Progress and ends with the final status Completed-Closed. We excluded other complete like final case, as we wanted to have only complete cases.
 - Traces with Unmatched status were removed.
 - To analyze which products generate the highest number of incidents, we analyze the start activity Accepted- In Progress.
 - We use DISCO tool to analyze the event log filtering. The result shows the three products that generate more incident cases:
 - Prod424 with 487 cases
 - Prod660 with 248 cases
 - Prod253 with 180 cases
 - When analyzing the products and the number of incidents generated, we can identify them, and also make a more detailed study of what these incidents and see what opportunities for improvement have.

7. References

- [1] Van der Aalst, W. Process Mining: Discovery, Conformance and Enhancement of Business Processes. Springer. (2011).
- [2] VINST – User Guide. V 3.13. Volvo Information Technology
- [3] Official Web Page DISCO 1.3.5 <http://www.fluxicon.com/disco/>
- [4] Official Web Page ProM 5.2 www.promtools.org/prom5/
- [5] Official Web Page ProM 6.2: <http://www.promtools.org/prom6/>